

Department of Economics and Finance

	Working Paper No. 1918
Economics and Finance Working Paper Series	Guglielmo Maria Caporale, Luis A. Gil-Alana and Carlos Poza Cycles and Long-Range Behaviour in the
inance W	European Stock Markets
Economics and F	November 2019
	http://www.brunel.ac.uk/economics

CYCLES AND LONG-RANGE BEHAVIOUR IN THE EUROPEAN STOCK MARKETS

Guglielmo Maria Caporale, Brunel University London, United Kingdom

Luis A. Gil-Alana, University of Navarra, Pamplona, Spain, and Universidad Francisco de Vitoria, Madrid, Spain

Carlos Poza, Universidad Francisco de Vitoria, Madrid, Spain

November 2019

Abstract

This paper uses a modelling framework which includes two singularities (or poles) in the spectral density function, one corresponding to the <code>rlomg(zero)</code> frequencyand the other to the <code>yclical</code> (nonzero) frequencyThe adopted specification is very general, since it allows for fractional integration the stochastic patterns at the zero and cyclical frequencies and ncludes both long and short memory components. The cyclical patterns are modelled using Gegenbauer processes. model is estimated in monthly datafor five European stock market indices AX30, FTSE100, CAC4,0 FTSE MIB40, IBEX35) from January 2009 to January 2019. The results indicate that the series are ignly persistent the longrun frequency but they are not upportive of the existence of cyclical stochastic structures in the European financial markets. The only clear evidence of a stochastic cycle is obtained in the case of France under the assumption of white noise disturbances; in all other cases, there is no evidence of cycles.

Keywords: European stock markets

marketsobtained by following this approach remainder of the paper is structured as follows. Section 2 eviews the relevant literatur ection 3 outlines the modelling

business cycles: mos

extend credit to the real sector. Claessetnal. (2011) provide a wielleanging analysis of financial cycles using a large database covering 21 advanced countries over the period 1960:12007:4. They study cycles in credit, house prices and equity prices. The main results are the following: 1) financial cycles tend to be long and severe, especially those in housing and equity marke (23); financial cycles are highly synchronized thin countries, especially with credit and house price cycles 3afidancial cycles magnify each other especially when the downturns in the downturns DePenya and GiAlana (2006) propose a method for testing nonstationary cycles in financial time series data. They develop a procedure that enables the researcher to test unit root cycles in raw time series. Thetest has several distinguishing feates compared with alternative ones. In particular, it has a standard null limit distribution and is the most efficient test against the fractional alternatives. In addition, it allows the researcher to test unit root cycleseach of the frequencies, and, through proximate the number of periods per cycfeinally, as already mentioned, Caporale and Abaina (2014) propose a general framework including linear and segmented time trends, and stationary and nonstationary processes based on integer and/or fractional degrees of differentiation; moreover, the spectrum is allowed to contain more than a single pole or singularity, occurring at both zero but namero (cyclical) frequencies. They find that US dividends, earnings, interest rates and -terming government bond yields exhibit fractional integration with one or two poles in the spectrum; further, a model with a segmented trend and fractional integration outperforms rival specifications over long horizons in terms of its forecasting properties similar approach is taken in the present study (see the next section for details).

\sim	T1 .	N 4 . I . I
	Ina	Model
.)	1115	1011 11 11

The adopted mobel is the following:

1 2cos) , 1, 2, ...,

where we can defin $\mathbf{e}_{\mathbf{j},\mathbf{d_2}}(\mbox{\ensuremath{\textit{P}}}\mbox{\ensuremath{\textit{recursively}}}$ as follows:

$$C_{0,d_2}(P_1 - 1, C_{1,d_2}() - 2Pd_2,$$

function and can be used to obtain some problem evidence about the peaks in the spectrum of the series.

INSERT TABLE 1 ABOUT HERE

Table 1 displays the first five values of periodogram of each series. It can be seen that forthe stock markets of France, Germany and Utre, highest value corresponds to the smallessequency, following by frequency 3; however, for Franc and Spain, it occurs at frequency 2, followed for grancy 1 and frequency 3 respectively

In order to avoid determinition terms, we use the demeaned series attichate the model given bequation (1) testing the null hypothesis:

$$H_0: d d_0,$$
 (2)

where $d = (d, d_2)^T$, with both values ranging from 2.00 to 2.00 with 0.01 increments. Thus, the estimated model under the null is:

$$(1 \quad L)^{d_{10}} (1 \quad 2 cosw_r \, L \quad L^2)^{d_{20}} \, x_t \qquad u_t \, , \quad t \quad 1, \, 2, \, \ldots \, , \eqno(3)$$

where u

§

For the sake ofgeneralty, we do not restrict the first polynomial to be constrained the zero frequency, and therefore consider initially a model with the zero frequency of the Gegenbauer polynomial of the form

$$-\frac{2}{i} _{1} (1 \quad 2 cosw_{r}^{(j)} L \quad L^{2})^{d_{o}^{(j)}} x_{t} \quad u_{t}, \quad t \quad 1, 2, ..., \tag{5}$$

where $d_0^{(1)}$ becomes $d_0/2$ if $w_\Gamma^{(1)} = 0$ (or $j_1 = 1$). The estimated value of j is equal to 1 in all cases, which support existence of a pole or singularity in the spectrum at the zero frequency. Thus, in what follows we focus exclusively on the model $g_0/2$ estimating simultaneously $g_1/2$ (the order of integration at the long or zero frequency, $g_0/2$ (the order of integration at the cyclical frequency in the spectrum that goes to infinity and that is related to the number of periods per cycle in the cyclical structure, i.e. $g_2/2$.

INSERT TABLES 2 AND 3 ABOUT HERE

Table 3 displays the results for the case of weak autocorrelating the model of Bloomfield (1973) The values of giare now 2 for Italy and Spain and 3 for the other

three countriesp1 is substantially smaller than in the previous table, its estimate ranging between 0.58 (UK) and 0.71 (Spain), and evidence of mean reversion with respect to this frequency is only obtained in the UK caste all other cases, the intervals indicate that the unit root null cannot be rejected. Finally, the estimates are all positive but the null p1=0 cannot be jected in any country.

On the whole, ouresultsindicate high persistence at the lorung frequency but they are not very supportive of the existence of cyclical stochastic structurtes in Europearfinancial markets. The only clear evidence of a stochastic cyslebtained in the case of France under the assumption of white rubister bances; in all other cases, although d is found to be positive, the confidence intervals are such that the rejected ind therefore theris no evidence of cycles.

5. Conclusions

In this paperwe have examined the possible presence of strastic cycles in financial series For this purpose, we have propods a model that allows imultaneously for both long-run and cyclical patterns in the data using a method based on-rhomogory processes. For the zero frequent the standard I(d) approach followed, whilst for the cyclical structure a Gegenbauer polynomial is used which also saftwarf ractional degrees of differentation. Therefore, the hosen specification on tains two singularities in the spetrum corresponding to the long (zero) and the cyclical (nonzero) frequencies espectively

Using monthly data for five European stock market indigresmely, DAX30 (Germany), FTSE100 (UK), ACC40 (France), FTSE MIB40 (Italy) and IBEX35 (Spain)) over the period from January 2009 to January 2019 we find that the order of integration at the longun or zero frequency is significantly higher than the one at the

cyclical frequency, the latter beiringsignificantly different from zero in the majority of cases. The cycles seemhtave a periodicity between 3 and 5 years.

However, these resultshould be taken with a degree cal ution given the relatively short sample period. Specifically, with 120 onthly observations as in our case the smallest possible frequency approxim $j_1 = 1$ (that corresponds to the longer frequency) is 2, which implies cycles of T/2 at most, i.e. 60 months or 5 years. Analysing much longer series possibly spanning decades, would be much more informative about the possible existence of stochastic cycles. This is left for further research.

References

Abbritti, M., L.A. Gil-Alana, Y. Lovcha and A. Moreno, (2016), Term structure persistence, Journal of Financial Econometrics 14, 2,3521-

Andel, J., 1986. Long Memory Time Series Models. Kyberne 22 (2012) 23.

Baillie, R.T. (1996), Long memory processes and fractional integration in econometrics, Journal of Econometrics 73,59.

Bloomfield, P. (1973). An exponential model in the spectrum of a scalar time series, Biometrika 60, 217226.

Borio, C. (2014), Thefinancial cycle and macroeconomics. What have we learnt? Journal of Bankig and Finance 45, 18298.

Borio, C., M. Drehmann and D. Xia (2019), The financial cycle and recession risk, BIS Quarterly Review, December 2018.

Canarella, G., L.A. GiAlana, R.Gupta and S. Miller (2019) Modeling U.S. Historical Time-Series Prices and Inflatior Using Alternative Long Memory Approaches Empirical Economics, forthcoming.

Caporale, G.M. and L.A. GiAlana, 2002, Fractional integration and mean reversion in stock prices, Quarterly Review of Economics and Finance 426**59**9-

Caporale, G.M. and L.A. GiAlana (2014), "Long run and cyclical dynamics in the US stock market", Journal of Forecasting, 33, 114571-.

Chung, C.-

lacoviello, A. (2015), Financial business cycles, view of Economic Dynamics 18, 1, 140-163.

Table 1: First five values in the periodogram of the series

Country	1	2	3	4	5
FRANCE	0.17205	0.00407	0.04472	0.02301	0.00021
GERMANY	0.55260	0.06697	0.10928	0.04837	0.00627